

고무 MXL형 기준전동용량표 (6.4mm폭당)

단위 : W

소PULLEY잇수		12	14	15	16	18	20	22	24	25	26	28	30	32	34	36	40
피치원직경 (mm)		7.76	9.06	9.70	10.35	11.64	12.94	14.23	15.52	16.17	16.82	18.11	19.40	20.70	21.99	23.29	25.87
소 풀 리 회 전 수  (rpm)	950	9.0	10.6	11.3	12.1	13.6	15.1	16.6	18.1	18.8	19.6	21.1	22.6	24.1	25.6	27.1	30.1
	1160	11.0	12.9	13.8	14.7	16.6	18.4	20.3	22.1	23.0	23.9	25.8	27.6	29.5	31.3	33.1	36.8
	1425	13.6	15.8	17.0	18.1	20.4	22.6	24.9	27.1	28.3	29.4	31.7	33.9	36.2	38.4	40.7	45.2
	1750	16.7	19.5	20.8	22.2	25.0	27.8	30.5	33.3	34.7	36.1	38.9	41.6	44.4	47.2	49.9	55.4
	2850	27.1	31.7	33.9	36.2	40.7	45.2	49.7	54.2	56.4	58.7	63.2	67.7	72.2	76.6	81.1	90.0
	3450	32.8	38.3	41.0	43.8	49.2	54.7	60.1	65.5	68.3	71.0	76.4	81.8	87.2	92.6	98.0	108.7
	100	1.0	1.1	1.2	1.3	1.4	1.6	1.7	1.9	2.0	2.1	2.2	2.4	2.5	2.7	2.9	3.2
	200	1.9	2.2	2.4	2.5	2.9	3.2	3.5	3.8	4.0	4.1	4.4	4.8	5.1	5.4	5.7	6.3
	300	2.9	3.3	3.6	3.8	4.3	4.8	5.2	5.7	6.0	6.2	6.7	7.1	7.6	8.1	8.6	9.5
	400	3.8	4.4	4.8	5.1	5.7	6.4	7.0	7.6	7.9	8.3	8.9	9.5	10.2	10.8	11.4	12.7
	500	4.8	5.6	6.0	6.4	7.1	7.9	8.7	9.5	9.9	10.3	11.1	11.9	12.7	13.5	14.3	15.9
	600	5.7	6.7	7.1	7.6	8.6	9.5	10.5	11.4	11.9	12.4	13.3	14.3	15.2	16.2	17.1	19.0
	700	6.7	7.8	8.3	8.9	10.0	11.1	12.2	13.3	13.9	14.4	15.6	16.7	17.8	18.9	20.0	22.2
	800	7.6	8.9	9.5	10.2	11.4	12.7	14.0	15.2	15.9	16.5	17.8	19.0	20.3	21.6	22.9	25.4
	900	8.6	10.0	10.7	11.4	12.9	14.3	15.7	17.1	17.9	18.6	20.0	21.4	22.9	24.3	25.7	28.6
	1000	9.5	11.1	11.9	12.7	14.3	15.9	17.5	19.0	19.8	20.6	22.2	23.8	25.4	27.0	28.6	31.7
	1100	10.5	12.2	13.1	14.0	15.7	17.5	19.2	20.9	21.8	22.7	24.4	26.2	27.9	29.7	31.4	34.9
	1200	11.4	13.3	14.3	15.2	17.1	19.1	21.0	22.8	23.8	24.8	26.7	28.6	30.5	32.4	34.3	38.1
	1300	12.4	14.5	15.5	16.5	18.6	20.6	22.7	24.8	25.8	26.8	28.9	30.9	33.0	35.1	37.1	41.2
	1400	13.3	15.6	16.7	17.8	20.0	22.2	24.4	26.7	27.8	28.9	31.1	33.3	35.5	37.7	40.0	44.4
	1500	14.3	16.7	17.9	19.0	21.4	23.8	26.2	28.6	29.8	30.9	33.3	35.7	38.1	40.4	42.8	47.6
	1600	15.2	17.8	19.0	20.3	22.8	25.4	27.9	30.5	31.7	33.0	35.5	38.1	40.6	43.1	45.7	50.7
	1700	16.2	18.9	20.2	21.6	24.3	27.0	29.7	32.4	33.7	35.1	37.7	40.4	43.1	45.8	48.5	53.9
	1800	17.1	20.0	21.4	22.9	25.7	28.6	31.4	34.3	35.7	37.1	40.0	42.8	45.7	48.5	51.4	57.0
	1900	18.1	21.1	22.6	24.1	27.1	30.2	33.2	36.2	37.7	39.2	42.2	45.2	48.2	51.2	54.2	60.2
	2000	19.0	22.2	23.8	25.4	28.6	31.7	34.9	38.1	39.6	41.2	44.4	47.5	50.7	53.9	57.0	63.3
	2100	20.0	23.3	25.0	26.7	30.0	33.3	36.6	40.0	41.6	43.3	46.6	49.9	53.3	56.6	59.9	66.5
	2200	20.9	24.5	26.2	27.9	31.4	34.9	38.4	41.9	43.6	45.4	48.8	52.3	55.8	59.2	62.7	69.6
	2300	21.9	25.6	27.4	29.2	32.8	36.5	40.1	43.8	45.6	47.4	51.0	54.7	58.3	61.9	65.6	72.8
	2400	22.8	26.7	28.6	30.5	34.3	38.1	41.9	45.7	47.6	49.5	53.2	57.0	60.8	64.6	68.4	75.9
	2500	23.8	27.8	29.7	31.7	35.7	39.7	43.6	47.5	49.5	51.5	55.5	59.4	63.3	67.3	71.2	79.0
	2600	24.8	28.9	30.9	33.0	37.1	41.2	45.3	49.4	51.5	53.6	57.7	61.7	65.9	69.9	74.4	82.2
	2700	25.7	30.0	32.1	34.3	38.5	42.8	47.1	51.3	53.5	55.6	59.9	64.1	68.4	72.6	76.9	85.3
	2800	26.7	31.1	33.3	35.5	40.0	44.4	48.8	53.2	55.5	57.7	62.1	66.5	70.9	75.3	79.7	88.4
	2900	27.6	32.2	34.5	36.8	41.4	46.0	50.6	55.1	57.4	59.7	64.3	68.8	73.4	78.0	82.5	91.6
	3000	28.6	33.3	35.7	38.1	42.8	47.6	52.3	57.0	59.4	61.8	66.5	71.2	75.9	80.6	85.3	94.7
	3200	30.5	35.6	38.1	40.6	45.7	50.7	55.8	60.8	63.3	65.9	70.9	75.9	80.9	85.9	91.0	100.9
	3400	32.4	37.8	40.4	43.1	48.5	53.9	59.2	64.6	67.3	70.0	75.3	80.6	86.0	91.3	96.6	107.1
	3600	34.3	40.0	42.8	45.7	51.3	57.0	62.7	68.4	71.2	74.0	79.7	85.3	91.0	96.6	102.2	113.3
	3800	36.2	42.2	45.2	48.2	54.2	60.2	66.2	72.1	75.1	78.1	84.1	90.0	95.9	101.8	107.8	119.5
	4000	38.1	44.4	47.5	50.7	57.0	63.4	69.6	75.9	79.1	82.2	88.4	94.7	100.9	107.1	113.4	125.7
	4200	40.0	46.6	49.9	53.3	59.9	66.5	73.1	79.7	83.0	86.3	92.8	99.3	105.9	112.4	118.9	131.8
	4400	41.9	48.8	52.3	55.8	62.7	69.7	76.5	83.4	86.9	90.3	97.2	104.0	110.9	117.7	124.5	137.9
	4600	43.8	51.1	54.7	58.3	65.5	72.8	80.0	87.2	90.8	94.4	101.5	108.7	115.8	122.9	130.0	144.0
	4800	45.7	53.3	57.0	60.8	68.4	75.9	83.4	90.9	94.7	98.4	105.9	113.3	120.8	128.1	135.5	150.1

 표시범위 내에서 사용은 벨트수명이 단축됩니다.